

Single Family PUBLIC SYNOPSIS



MLS#: 907087
 142 Davis Road, Farmington, ME 04938

Status: Current
Kickout: No
List Price: ↓ \$ 184,500

Directions: From Farmington Rt 27 towards New Sharon, left onto Davis Rd across from Hammond Lumber.

Neigh'd/Assoc: **Assoc. Fee /Mo:**

General/Land Information

Style: Gambrel
#Rooms: 7 **#Bedrooms:** 3 **#Baths:** F = 2 3/4 = 0 1/2 = 0
Foundation Sz /-: 29 x 37 **Year Built /-:** 1964
SqFt Fin. Above Grade+/-: 1605 **SqFt Fin. Below Grade+/-:** 208 **SqFt Fin. Total+/-:** 1813
Source of Square Footage: Public Record

Color: **Lot Size (Acr) /-:** 2.800 **Road Frontage /-:** 125
Surveyed: Yes **Seasonal:** No **Zone:** residential
Flood Zone: No **Water Body:**
WtrFrnt: No **Amt Wtr Frntge /-:** **WF Shared /-:** **WF Owned /-:**

Interior Information

	KT	DN	LR	FR	MBR	2BR	3BR	4BR	5BR	OT
Level:	1	1	1	1	2	2	2			B
Size:	12 x 15	11 x 12	13 x 16	10 x 13	12 x 13	12 x 14	9 x 17			13 x 16
Cathedral Ceil:	No		Skylight: No		Fireplace: 0		Wood Stove: No		Wood Stove HU: No	

Appliances:

Remarks

Excellent neighborhood setting close to downtown Farmington. Spacious home with partially finished basement and attached 2 car garage. Oversized 2.8 acre lot with shade trees and plenty of room for a garden.

Property Features - NOTE: Check Detail Reports for complete list of features.

Site: Level	Basement Info: Full, Bulkhead
Driveway: Paved	Foundation Mtrls:
Parking:	Exterior: Brick, Vinyl Siding
Location: Suburban	Roof: Metal, Shingle
Uses: Residential	Heat System: Baseboard, Hot Water
Restrictions:	Heat Fuel: Oil
Recreational Water:	Water Heater: Off Heating System
Roads: Paved, Public	Cooling: No Cooling
Transportation:	Floors: Wood, Vinyl, Fully Carpeted
Electric: 220 Volts, Circuit Breakers	Vehicle Storage: Attached, 2 Cars
Gas: Bottled	Amenities:
Sewer: Private	Accessibility Amenities:
Water: Public	Equipment:
Construction: Wood Frame	

Tax/Deed/Community Information

Book/Page/Partial: 2192/37/No **Map/Block/Lot:** U4/6 **Tax Amount/Yr:** \$ 2,048 / (2007)
Tax Reduction: **School:** SAD 9

Off Market Information

Information Provided by: Kim Reynolds 009553 KRR



Office: Harris Real Estate 2084 **Office:** 207-779-9000
Agent Phone: 207-779-9000 **Agent Cell:** 207-462-9005
Email: kimreynolds@harrisrealestate.net **Virtual Tour:**

LAGini: **List Office:** Harris Real Estate



The information on MLS listings has been assembled from various sources of varying degrees of reliability. Any information that is critical to your buying decision should be independently verified. All dimensions are approximate and not guaranteed. Copyright 2009 MREIS, Inc.

Printed: 08/17/09



SELLER'S PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between the Seller and any buyer. The Seller authorizes the Listing Broker in this transaction to disclose the information in this statement to other real estate licensees and to prospective buyers of this property. The Seller agrees to notify the Listing Broker promptly of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

NOTE: DO NOT LEAVE ANY QUESTIONS BLANK. WRITE N/A (NOT APPLICABLE) OR UNKNOWN IF NEEDED.

PROPERTY LOCATED AT: 142 Davis Road Farmington, Me.

SECTION I. WATER SUPPLY

TYPE OF SYSTEM: Public Private Seasonal _____ Unknown
 Drilled Dug Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?
 Pump: Yes No N/A Quantity: Yes No Unknown

Quality: Yes No Unknown

If YES to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? Yes No
 IF YES: Date of most recent test: _____ Are test results available? Yes No
 To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? Yes No
 IF YES, are test results available? Yes No
 What steps were taken to remedy the problem? _____

• IF PRIVATE:

INSTALLATION: Location: _____
 Installed BY: _____ DATE of Installation: _____

What is the source of your information: _____

USE: Number of Persons currently using system? _____
 Does system supply water for more than one household? Yes No Unknown

COMMENTS: _____

SECTION II. WASTE WATER DISPOSAL

TYPE OF SYSTEM: Public Private Quasi-Public _____ Unknown

• IF PUBLIC OR QUASI-PUBLIC:

Have you experienced any problems such as line or other malfunctions? Yes No
 What steps were taken to remedy the problem? _____

• IF PRIVATE:

TANK: Septic Tank Holding Tank Cesspool Other: _____
 Tank Size: 500 Gal. 1000 Gal. Unknown Other: _____
 Tank Type: Concrete Metal Unknown Other: _____
 Location: _____ OR Unknown Date of Installation: unk
 Date of Last Servicing: unk Name of Company Servicing Tank: unk
 Date Last Pumped: unk Have you experienced any malfunctions? Yes No
 If yes, give the date and describe the problem: _____

LEACH FIELD: Yes No Unknown

IF YES: Location: unk
 Date of installation of leach field: _____ Installed By: unk
 Date of Last Servicing: unk Name of Service Company: unk
 Have you experienced any malfunctions? Yes No
 If yes, give the date and describe the problem & what steps were taken to remedy: _____

Does Seller have records of the septic system design indicating the number of bedrooms the system was designed for? Yes No
 IF YES, is it available? _____

SOURCE OF INFORMATION: _____

COMMENTS: _____

IS SYSTEM LOCATED IN A SHORELAND ZONE?: Yes No Unknown

July 2007 Page 1 of 3 - SPD Buyer(s) Initials _____ Seller(s) Initials _____

PROPERTY LOCATED AT _____

SECTION III. HEATING SYSTEM(S)/SOURCE(S)

Heating System(s)/Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S)	BCHW			
Age of system(s)/source(s)	unk			
Name of company that services system(s)/source(s)				
Date of most recent service call				
Annual consumption per system/ source (i.e., gallons, kilowatt hours, cord(s))	unk			
Malfunction per system(s)/ source(s) within past 2 years	unk			
Other pertinent information				

Buried Oil Supply Line: Yes No Unknown
 Chimney(s) Lined: Yes No Unknown Age: 1967
 Sleeved: Yes No
 Is more than one heat source vented through one flue? Yes No Unknown
 Last Cleaned: _____
 COMMENTS: _____

SECTION IV. HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Current or previously existing:
 Are there now, or have there ever been, any underground storage tanks on your property? Yes No Unknown
 IF YES: Are tanks in current use? Yes No
 IF NO above: How long have tank(s) been out of service? _____
 What materials are, or were, stored in the tank(s)? _____
 Age of tank(s): _____ Size of tank(s): _____
 Location: _____
 Have you experienced any problems such as leakage? _____
 Are tanks registered with the Dept. of Environmental Protection? Yes No Unknown
 If tanks are no longer in use, have tanks been abandoned according to D.E.P.? Yes No Unknown
 Comments: _____

B. ASBESTOS - Current or previously existing:
 • as insulation on the heating system pipes or duct work? Yes No Unknown
 • in the siding? Yes No Unknown
 • in the roofing shingles? Yes No Unknown
 • in flooring tiles? Yes No Unknown
 • other: _____ Yes No Unknown
 IF YES: Source of Information: _____
 COMMENTS: _____

C. RADON/AIR - Current or previously existing:
 Has the property been tested? Yes No Unknown
 IF YES: Date: _____ By: _____
 Results: _____ If applicable, What remedial steps were taken? _____
 Has the property been tested since remedial steps? Yes No Unknown
 Are test results available? Yes No Results & Comments: _____

D. RADON/WATER - Current or previously existing:
 Has the property been tested? Yes No Unknown
 IF YES: Date: _____ By: _____
 Results: _____ If applicable, What remedial steps were taken? _____
 Has the property been tested since remedial steps? Yes No Unknown
 Are test results available? Yes No Results & Comments: _____

E. LEAD-BASED PAINT/PAINT HAZARDS - Current or previously existing: (Note: Lead-based paint is most commonly found in homes constructed prior to 1978; See EPA Disclosure brochure/form and Maine Lead Warning for more information)
 Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? Yes No Unknown
 IF YES, describe location and the basis for the determination: _____
 Do you know of any records or reports pertaining to such lead-based paint or lead-based paint hazards: Yes No
 IF YES, describe: _____

Are you aware of any cracking, peeling or flaking paint? Yes No
 COMMENTS: _____

July 2007 Page 2 of 3 - SPD Buyer(s) Initials _____ Seller(s) Initials _____

PROPERTY LOCATED AT _____

F. OTHER HAZARDOUS MATERIALS - Current or previously existing:

- TOXIC MATERIAL: Yes No Unknown
- LAND FILL: Yes No Unknown
- RADIOACTIVE MATERIAL: Yes No Unknown

OTHER: _____

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V. GENERAL INFORMATION

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private road/homeowner associations or restrictive covenants? Yes No Unknown

IF YES: Explain: _____
What is your source of information: _____

Are there any tax exemption or reduction for this property for any reason including but not limited to: Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront? Yes No Unknown

IF YES: Explain: _____

- Leased Equipment (e.g., propane tank, hot water heater, satellite dish): Type: _____
- Age: Age of House: 1964 How long has Seller owned it: _____
- Roof: Age - Structure: 1964 Age - Shingles: _____
- Moisture or leakage: _____
- Comments: _____

- Foundation/Basement: Sump Pump: Yes No Unknown Comments: _____
- Moisture or leakage since you owned the property: Yes No Unknown Comments: _____
- Knowledge of prior moisture or leakage: Yes No Unknown Comments: _____

- Mold: Has the property ever been tested for mold? Yes No Unknown If YES, are test results available? Yes No

- Electrical: Fuses Circuit Breaker Other: _____ Unknown

- Has the property been surveyed? Yes No Unknown If YES, is the survey available? Yes No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

- KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: _____

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: Yes No

SECTION VI. ADDITIONAL INFORMATION

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

James G. Smith
SELLER

08/15/08
DATE

SELLER

DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER

DATE

BUYER

DATE



Residential Real Property Disclosure Statement

MAINE WARNING: LEAD-BASED PAINT HAZARDS

Any residence built before 1978 may contain lead sufficient to poison children and sometimes adults. LEAD poisoning poses a particular risk if you are pregnant or may become pregnant. LEAD poisoning in young children may produce permanent neurological damage, including learning disabilities, a reduced intelligence quotient (IQ), impaired memory and behavioral problems such as attention deficit hyperactive disorder and a propensity for violence.

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. The seller of any interest in real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

The only way to know with certainty whether lead-based paint hazards are present on the property is to test the property for the presence of lead.

Acknowledgement of State Disclosure Statement.

The signature below acknowledges that the seller or potential seller has disclosed to me information about lead-based paint hazards as required by 22 M.R.S.A. Section 1328. This acknowledgement does not constitute a waiver of any rights.

Seller or potential seller

Purchaser or potential purchaser

Signature

Date

Signature

Date

Name printed

Name printed

Signature

Date

Signature

Date

Name printed

Name printed


**Acknowledgement of federal disclosure of information
on Lead-Based Paint and/or Lead-Based Paint Hazards**

Lead Warning Statement


Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

Seller's Disclosure

- (a) Presence of lead-based paint and/or lead-based paint hazards (check (i) or (ii) below):
(i) _____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).
-

(ii)  Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

- (b) Records and reports available to the seller (check (i) or (ii) below):
(i) _____ Seller has provided the purchaser with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).
-

(ii)  Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Purchaser's Acknowledgement (initial)

- (c) _____ Purchaser has received copies of all information listed above.
- (d) _____ Purchaser has received the pamphlet *Protect Your Family from Lead in Your Home*
- (e) Purchaser has (check (i) or (ii) below):
 - (i) _____ received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or
 - (ii) _____ waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

Agent's Acknowledgement (initial)

(f) ASH Agent has informed the seller of the seller's obligations under 42 U.S.C.4852d and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.


JAMES SPINSKI 08/15/08
Seller _____ Date _____ Seller _____ Date _____

Purchaser _____ Date _____ Purchaser _____ Date _____

Agent _____ Date _____ Agent _____ Date _____

This form is provided in connection with the PROPERTY LOCATED AT _____

U-7



R-6

40
47AC

R-8

NO ZONING

NO PARCEL 23,28,36

PROPERTY MAP

ADMINISTRATIVE MAP

